

Am

Notice of Allowability

Application No.

10/649,598

Examiner

Anatoly Vortman

Applicant(s)

KIM, SUN-TAI

Art Unit

2835

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Amendment filed on 02/18/05.
2. ☒ The allowed claim(s) is/are 1 and 5 (renumbered 1 and 2, respectively).
3. ☒ The drawings filed on 27 August 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to Applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the **Specification** (filed on 02/18/05):

p.2, line 7, [confidence of the constitutional parts] has been replaced with the --integrity of the components--, line 10, [fragile against outside impact] has been replaced with --susceptible to the outside impacts--, and, [short] has been replaced with --shorted--;

p.4, line 19, [rectified] has been replaced with --rectifier--, line 22, [are] has been replaced with --is--; line 23, [rectified] has been replaced with --rectifier--, and [adjusts] has been replaced with --converts--;

p.5, lines 5 and 9, [rectified] has been replaced with --rectifier--, and line 10, [a] has been replaced with --the-- before the "intensity";

p. 6, line 5, [is] has been replaced with --are-- before "mounted", line 13, [, the printed circuit board 120] has been deleted, line 14, following " the transformer 140" --, the printed circuit board 120,-- has been inserted, and line 28, [rectified] has been replaced with --rectifier--;

p.7, line 10, --of-- has been inserted before "PVC", line 11, following "using an epoxy resin" [. The] has been deleted and --, because the-- has been inserted, line 16, following the first

Art Unit: 2835

“voltage”, --circuits-- has been inserted, and line 19, following “voltage”, --circuits-- has been inserted.

In the **Abstract**: p. 10, line 3, following “sign”, [discloses] has been replaced with --is disclosed having--.

2. The following is an examiner’s statement of reasons for allowance: the Applicant has amended claim 1 by including the subject matter of the previously objected claim 2, thus rendering said claim 1 and dependent claim 5 patentable over the art of record. Reasons of allowance of claim 2 have been presented in paragraph 8 of the non-final Office action mailed on 11/16/04. At this point the record appears to be clear as to the reasons of allowance of all pending claims.

None of the references cited during prosecution of the instant application, either taken alone or in combination is believed to render the present invention unpatentable as claimed.

3. Any comments considered necessary by Applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anatoly Vortman whose telephone number is 571-272-2047. The examiner can normally be reached on Monday-Friday, between 10:00 am and 6:30 pm..

Art Unit: 2835

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ms. Lynn Feild can be reached on 571-272-2092. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AV

A handwritten signature in black ink, appearing to read 'A. Vortman', with a long horizontal flourish extending to the right.

Anatoly Vortman
Primary Examiner
Art Unit 2835